

wagamama



Extraordinary solutions are built on bright choices

SloanLED channel letter LED lighting products are designed for the whole spectrum of channel letter applications, including face and halo lit, shallow to deep can depths, and routed acrylic letters.

Small channel letters

Standard

channel letters

The **complete solution** for all your lighting needs.

SloanLED provides more than just lighting products. We're your trusted partner, providing high-efficiency, long lasting light solutions that represent significant energy and maintenance cost savings, easy installation, faster ROI, and exceptional performance with consistent brightness and uniformity, which is what makes SloanLED the bright choice. Small channel letters

Large channel letters

Standard channel letters

Large channel letters Channel letter applications 50-100 mm deep

OSPITAL

BANK

Channel letter applications 75-200 mm deep

Channel letter and sign box applications 127-305 mm deep

2 For more information on our Channel Letter collection of products, visit SloanLED.com.





SloanLED Spectrum



VALUE

Þ		nel letter	24 VDC			
MODS/M	COLORS	LUMENS/ MOD	EFFICACY			
VL5 Mini (12V)						
6.6	White (7200 K, 6500 K, 5000 K, 4000 K, 3000 K)	65	173 lm/W			
VL5(12&24V)						
4.0	White (7200 K, 6500 K, 5000 K, 4000 K, 3000 K)	130	173 lm/W			
VL5 HO (12 & 24V)						
2.1	White (7200 K, 6500 K, 5000 K, 4000 K, 3000 K)	260	173 lm/W			
VL5 Mini (12V) 6.6 White (7200 K, 6500 K, 5000 K, 4000 K, 3000 K) 65 173 lm/ VL5 (12 & 24V) 4.0 White (7200 K, 6500 K, 5000 K, 4000 K, 3000 K) 130 173 lm/ VL5 HO (12 & 24V) VL5 HO (12 & 24V) 173 lm/						

PERFORMANCE

Н	IoanLED I igh-performan nnel letter light	ce 12 VDC			
MODS/M	COLORS	LUMENS/ MOD	EFFICACY		
SloanLED Prism ¹² Mini					
6.6	White (7100 K, 6500 K, 5000 K, 4000 K, 3000 K), Red, Green, and Blue	Up to 50	Up to 132 lm/W		
SloanLED Prism ¹²					
4.9	White (7100 K, 6500 K, 5000 K, 4000 K, 3000 K), Red, Orange, Green, and Blue	Up to 124	Up to 135 lm/W		

Also available:

SloanLED Prism¹² Nano+

Premium 12V LED lighting solution for block acrylic signs and small channel letters

PERFORMANCE+

Hi	loanLED F gh-performant nnel letter lighti	ce 24 VD0	2		
MODS/M	COLORS	LUMENS/ MOD	EFFICACY		
SloanLED Prism ²⁴ Mini					
8.2	White (7100 K, 6500 K, 5000 K, 4000 K, 3000 K), Red, Green, and Blue	Up to 40	Up to 100 lm/W		
SloanLED Prism ²⁴					
3.9	White (7100 K, 6500 K, 5000 K, 4000 K, 3000 K), Red, Green, and Blue	Up to 138	Up to 160 lm/W		
SloanLED Prism ²⁴ HO					
2.6	White (6500 K, 5000 K)	180	150 lm/W		

SloanLED Prism²⁴ LP

Premium 24V LED lighting solution for low-profile channel letters

VL5 Nano (12V)

Everyday 12 VDC LED lighting solution for block acrylic signs and small channel letters

VL5 Super HO (24V)

Everyday 24 VDC LED lighting solution for large, deep channel letter and light box applications

No matter where you are. We've got you covered.

From Alaska to Australia, with 150+ employees, and the best global coverage in the industry, we've got you covered.



SloanLED Headquarters 3490 Venture Dr., San Angelo, TX, USA 325 227 4577 • info@SloanLED.com

SloanLED Europe b.v. Argonstraat 110, 2718 SN Zoetermeer, NL +31 88 12 44 900 • europe@SloanLED.com



SloanLED.com

SloanLED channel letter products are covered by US and foreign patents pending and covered by one or more of the following US patents issued: 6,932,495, 7,160,140, 7,241,031, 7,520,771, 7,931,386 and European Patent No. 1756471.

Specifications subject to change without notice. © 2024 SloanLED Rev W 2024-09-20

