

SloanLED Global Limited Warranty

Terms and Conditions

SloanLED is committed to providing defect free products that will perform trouble-free. All SloanLED facilities are ISO 9001 registered and maintain strict quality assurance standards. Within the terms of this Limited Warranty, all SloanLED products are warranted to meet the performance criteria outlined in the written specification/data sheets and be free of defects in material and workmanship. This Limited Warranty only applies to the original owner at the time of the initial installation of the product and is non-transferable. This Limited Warranty is in effect for the Warranty Period of each product listed on the attached schedule. The Warranty Period is based on the manufacturing date code of the product and begins on the date of the manufacturing date code.

The determination of whether a product is defective shall be made by SloanLED in its reasonable discretion with consideration given to the overall performance of the product. If a Product has been deemed defective in its materials or workmanship, SloanLED will repair or replace (at SloanLED's sole discretion) the defective product at no charge, excluding labor. SloanLED reserves the right to use similar, new, reconditioned, refurbished, repaired or remanufactured product or parts in the limited warranty solution process. This shall be the customer's sole remedy with respect to any SloanLED products. The aggregate remedy for any claim shall not exceed the total amount of the purchase price for the defective product. Under no circumstances will SloanLED be required to give a refund. The cost of labor or administration is not included under this Limited Warranty.

This Limited Warranty only applies to reasonable indoor and outdoor usage of the product in commercial applications, when properly installed by a licensed electrician in accordance with the instructions from SloanLED. Any defect in a product arising out of the product's unreasonable use shall not be covered by this Limited Warranty. For example, operating conditions of/for the product must not exceed temperatures or other exposures outside the range of the product's rated limits set by SloanLED. This Limited Warranty does not cover damage or failure caused in part by improper installation, use, operation, storage, maintenance, acts of God, extreme weather, lightning strikes, power surges, induced vibration, civil unrest, vandalism, general wear or aging, mechanical and power connections, or any circumstances that are not applicable to the reasonable use of the product. General wear or aging is not considered a product defect if it does not result in inoperable conditions. A product shall not be considered defective solely as a result of the failure of individual LED components contained in the product to emit light if the number of inoperable components is less than fifteen (15%) of the total number of LED components in the product. This Limited Warranty is automatically voided by the use of non-approved third party controls, power supplies or any other manufacturer's components, or if the product is used outside of its intended applications or for the stated purpose or conditions for which it is designed, as stated in SloanLED's written data sheets and installation instructions.

For replacement/repair service of an alleged defective product under this Limited Warranty, the original owner at the time of the initial installation of the product must contact SloanLED for a Return Material Authorization (RMA) number and provide SloanLED with the original contractual documents for the purchase of the product. RMA numbers may be obtained by calling customer service at (888) 747-4533 in North America, +1 (805) 676-3200 Worldwide or +31 88 12 44 900 in Europe. Information and troubleshooting assistance is also available at these numbers.

Once an RMA number is obtained, the alleged defective product shall be returned (at the customer's expense) directly to SloanLED or the location designated by SloanLED at the time the RMA is issued. The product must be returned within thirty (30) days of RMA issuance for the RMA to remain valid. All shipping boxes and packing slips must be marked with the valid RMA number.

If a solution for the alleged defective product is required immediately, the customer may order (at their own expense) the replacement product required to solve the immediate issue from SloanLED. If the customer purchases an immediate replacement of a product from SloanLED that is found to be defective and covered by this Limited Warranty, SloanLED will issue a credit for the replacement product and standard shipping. If the product that is returned with the RMA is found to be a defective product and covered by this Limited Warranty, SloanLED will provide the remedy outlined in this Limited Warranty and any replacement product will be provided with standard shipping (free of charge). If the product that is returned with the RMA is not found to be defective product by SloanLED, SloanLED will return the product to the customer at the customer's expense.

SLOANLED MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), OTHER THAN AS SET FORTH IN THIS LIMITED WARRANTY. THIS LIMITED LIABILITY DOES NOT COVER, AND UNDER NO CIRCUMSTANCE SHALL SLOANLED BE LIABLE FOR, ANY INCIDENTAL OR CONSEQUENTIAL LOSS OR DAMAGE WHATSOEVER ARISING OUT OF OR IN ANY WAY RELATED TO ANY DEFECT IN OR NON-PERFORMANCE OR IMPROPER PERFORMANCE OF THE PRODUCTS. IF ANY TERM OR PROVISION OF THIS LIMITED WARRANTY IS INVALID, ILLEGAL, OR UNENFORCEABLE IN ANY JURISDICTION, SUCH INVALIDITY, ILLEGALITY, OR UNENFORCEABILITY WILL NOT AFFECT ANY OTHER TERM OR PROVISION OF THIS LIMITED WARRANTY OR INVALIDATE OR RENDER UNENFORCEABLE SUCH TERM OR PROVISION IN ANY OTHER JURISDICTION.

SloanLED Global Limited Warranty Period Schedule

Lighting Systems

Outdoor Commercial Lighting

Detroit

Product Description	Part No.	Duration
Detroit, SC Wall Pack, 45 W	LCG-WPSC-45W	60 Months
Detroit, SC Wall Pack, 70 W	LCG-WPSC-70W	60 Months
Detroit, SC Wall Pack, 100 W	LCG-WPSC-100W	60 Months
Detroit, SC Wall Pack, 150 W	LCG-WPSC-150W	60 Months

Optimus

Product Description	Part No.	Duration
Optimus, 60 W	LCG-SB-60W	60 Months
Optimus, 100 W	LCG-SB-100W	60 Months
Optimus, 150 W	LCG-SB-150W	60 Months
Optimus, 200 W	LCG-SB-200W	60 Months
Optimus, 300 W	LCG-SB-300W	60 Months

PDL3 MODUS

Product Description	Part No.	Duration
PDL3 MODUS, Clear	701948-5WCWT3-M	120 Months
PDL3 MODUS, Textured	701948-5WTWT3-M	120 Months
PDL3 MODUS HO, Clear, White	701948-5WCWT3-MH	120 Months
PDL3 MODUS HO, Textured, White	701948-5WTWT3-MH	120 Months
PDL3 MODUS HO, Clear, Bronze	701948-5WCBZ3-MH	120 Months
PDL3 MODUS HO, Textured, Bronze	701948-5WTBZ3-MH	120 Months
75 W EU/ROW Canopy PS Kit	MOD1.1 / 601071	120 Months
150 W EU/ROW Canopy PS Kit	MOD1.2 / 601072	120 Months
200 W EU/ROW Canopy PS Kit	MOD1.3 / 601073	120 Months
75 W NA Canopy PS Kit	MOD2.1 / 601074	120 Months
150 W NA Canopy PS Kit	MOD2.2 / 601075	120 Months
200 W NA Canopy PS Kit	MOD2.3 / 601076	120 Months
75 W NA Walk-in Cooler PS Kit	MOD3.1 / 601077	120 Months
150 W NA Walk-in Cooler PS Kit	MOD3.2 / 601078	120 Months
200 W NA Walk-in Cooler PS Kit	MOD3.3 / 601079	120 Months
75 W NA Surface Mount PS Kit	MOD4.1 / 601080	120 Months
150 W NA Surface Mount PS Kit	MOD4.2 / 601081	120 Months
200 W NA Surface Mount PS Kit	MOD4.3 / 601082	120 Months
75 W EU/ROW Surface Mount PS Kit	MOD4.4 / 601088	120 Months
150 W EU/ROW Surface Mount PS Kit	MOD4.5 / 601089	120 Months
200 W EU/ROW Surface Mount PS Kit	MOD4.6 / 601090	120 Months
75 W NA Retrofit PS Kit	MOD5.1 / 601083	120 Months
150 W NA Retrofit PS Kit	MOD5.2 / 601084	120 Months
200 W NA Retrofit PS Kit	MOD5.3 / 601085	120 Months
75 W Dimming Controller	601092	60 Months
150 W Dimming Controller	601093	60 Months
200 W Dimming Controller	601094	60 Months
Mounting Plate	401568-700	120 Months
Mounting Plate, Bronze	401568-700MH	120 Months
Shoebox Mounting Plate	401397	120 Months
Shoebox Mounting Plate, Bronze	401397-BZ	120 Months
Blank Plate	401219	120 Months
Blank Plate, Bronze	401219-BZ	120 Months
1-10 V Connector Cable	410168	60 Months
EU Waterproof Junction Box	701952-EU	60 Months

PetroLuma

Product Description	Part No.	Duration
PetroLuma, Canopy, 95 W	LCG-GS-95W	60 Months

Portland

Product Description	Part No.	Duration
Portland, FC Wall Pack, 45 W	LCG-WPFC-45W	60 Months
Portland, FC Wall Pack, 70 W	LCG-WPFC-70W	60 Months

Progressive Down Light

Product Description	Part No.	Duration
Progressive Down Light	701948	60 Months
Progressive Down Light 2	701948-5WSWT2	60 Months
Progressive Down Light 3	701948-5WCWT3	60 Months
Progressive Down Light 3	701948-5WTWT3	60 Months
150 W, Power Supply	701932	60 Months
140 W, Power Supply	701950	60 Months
100 W, Power Supply	701950-100X1	60 Months
115 W, Power Supply	701950-115X1	60 Months
125 W, Power Supply	701950-125X1	60 Months
100 W, Power Supply	701950-100Y1	60 Months
75 W, Power Supply	701950-075Y1	60 Months
Junction Box	701952	60 Months
Mounting Box	601022	60 Months
Dimming Controller	701958	60 Months
Dimming Controller	701969	60 Months
Occupancy Sensor	701953	60 Months

Progressive Wall Light

Product Description	Part No.	Duration
Progressive Wall Light	701959-5WXBR1	60 Months

Progressive Pole Mount Light

Product Description	Part No.	Duration
Pole Mount Light, White, 140 W	701955-5WXWT1	60 Months
Pole Mount Light, White, 115 W	701955-5WXWT2	60 Months
Pole Mount Light, Black, 140 W	701955-5WXBK1	60 Months
Pole Mount Light, Black, 115 W	701955-5WXBK2	60 Months
Pole Mount Light, Bronze, 140 W	701955-5WXBR1	60 Months
Pole Mount Light, Bronze, 115 W	701955-5WXBR2	60 Months
140 W, Power Supply	701932	60 Months
140 W, Power Supply	701950-36	60 Months
115 W, Power Supply	701950-115X2	60 Months
Square Pole Tenon Kit	601102	60 Months
Round Pole Tenon Kit	601017	60 Months
Adapter, Round Pole	401189	60 Months

Pole Mount Light 2A

Product Description	Part No.	Duration
Pole Mount Light 2A	701955-5WXAX2	60 Months
Pole Mount Light 2A, Motion Sensor	701955-5WXAM2	60 Months
Pole Mount Light 2A, Motion Sensor, Photocell Socket	701955-5WXAB2	60 Months
Square Pole Tenon Kit	601102	60 Months
Round Pole Tenon Kit	601017	60 Months
Photocell Socket	401763	60 Months

SloanLED Global Limited Warranty Period Schedule

Lighting Systems

Outdoor Commercial Lighting (cont.)

Pole Mount Light 2B

Product Description	Part No.	Duration
Pole Mount Light 2B	701955-5WSBX2	60 Months
Pole Mount Light 2B, Motion Sensor	701955-5WSBM2	60 Months
Square Pole Tenon Kit	601102	60 Months
Round Pole Tenon Kit	601017	60 Months

PML3 Paladin

Product Description	Part No.	Duration
PML3, 200 W, Large, (ALL)	PML3-200L-(ALL)	60 Months
PML3, 160 W, Large, (ALL)	PML3-160L-(ALL)	60 Months
PML3, 120W, Large, (ALL)	PML3-120L-(ALL)	60 Months
PML3, 90 W, Medium, (ALL)	PML3-90M-(ALL)	60 Months
PML3, 60 W, Medium, (ALL)	PML3-60M-(ALL)	60 Months
PML3, 40 W, Medium, (ALL)	PML3-40M-(ALL)	60 Months
PML3, 30 W, Medium, (ALL)	PML3-30M-(ALL)	60 Months
PML3, 60 W, Small, (ALL)	PML3-60S-(ALL)	60 Months
PML3, 40 W, Small, (ALL)	PML3-40S-(ALL)	60 Months
PML3, 30 W, Small, (ALL)	PML3-30S-(ALL)	60 Months
3" Square Pole Tenon Kit, Large (All finishes)	601100-(ALL)	60 Months
2 3/8" Square Pole Tenon Kit (All finishes)	601102-CC-(ALL)	60 Months
2 3/8" Round Pole Tenon Kit (All finishes)	601017-CC-(ALL)	60 Months

Skyline

Product Description	Part No.	Duration
Skyline, 2', 20 W	LCG-2T-20W-DC	60 Months
Skyline, 4', 40 W	LCG-4T-40W-DC	60 Months
Skyline, 4', 50 W	LCG-4T-50W-DC	60 Months
Suspension Cable Kit	LCG-4T-SC	60 Months

Solarta

Product Description	Part No.	Duration
Solarta, Flood Light, 45 W	LCG-FL-45W	60 Months
Solarta, Flood Light, 70 W	LCG-FL-70W	60 Months
Trunnion Mount	LCG-TRUNNION	60 Months

SurfLite 1

Product Description	Part No.	Duration
SurfLite 1, 35 W	LCG-CP-35W	60 Months
SurfLite 1, 45 W	LCG-CP-45W	60 Months
SurfLite 1, 65 W	LCG-CP-65W	60 Months

SurfLite 2

Product Description	Part No.	Duration
SurfLite 2, 35 W	LCA-CP-35W	60 Months
SurfLite 2, 55 W	LCA-CP-55W	60 Months

Twilight

Product Description	Part No.	Duration
Twilight, 30 W	LCG-PT-30W	60 Months
Twilight, 40 W	LCG-PT-40W	60 Months
Twilight, 50 W	LCG-PT-50W	60 Months

Indoor Commercial Lighting

Area 51

Product Description	Part No.	Duration
Area 51, 100 W	LCGFO-100W	60 Months
Area 51, 150 W	LCGFO-150W	60 Months
Area 51, 200 W	LCGFO-200W	60 Months

Borealis

Product Description	Part No.	Duration
Borealis, 2' x 2', 40 W	LCG-TF22-40W	60 Months
Borealis, 2' x 4', 50 W	LCG-TF24-50W	60 Months
Borealis, 2' x 2', 35 W	LCG-TF22-35W	60 Months
Borealis, 2' x 4', 48 W	LCG-TF24-48W	60 Months

Daybreak

Product Description	Part No.	Duration
Daybreak, 2' x 2', 27 W	LCG-TR22-27W	60 Months
Daybreak, 2' x 2', 40 W	LCG-TR22-40W	60 Months
Daybreak, 2' x 4', 40 W	LCG-TR24-40W	60 Months
Daybreak, 2' x 4', 62 W	LCG-TR24-62W	60 Months
Daybreak, 1' x 4', 40 W	LCG-TR14-40W	60 Months
Battery Backup PS, 8 W	EM-L0854	60 Months
Battery Backup PS, 16 W	EM-L1654	60 Months
Battery Backup PS, 25 W	EM-L2554	60 Months

Jewel

Product Description	Part No.	Duration
Jewel, 90 W	LCG-LB-90W	60 Months
Jewel, 120 W	LCG-LB-120W	60 Months

LED Backlit Panel

Product Description	Part No.	Duration
LED Backlit Panel, 2'x2'	701975-4WN221	60 Months

Linea

Product Description	Part No.	Duration
Linea, 2', 25 W	LC-WR-246-25W-8[CCT]N	60 Months
Linea, 4', 48 W	LC-WR-486-48W-8[CCT]N	60 Months

RD Series: LED Recessed Downlights

Product Description	Part No.	Duration
RDA Recessed Downlight, Adjustable	701977-4ACCW1	60 Months
RDL Recessed Downlight, Large	701977-4LDTW1	60 Months
RDS Recessed Downlight, Small	701977-4SDTW1	60 Months

Roswell

Product Description	Part No.	Duration
Roswell, 90 W	LCG-RHB-90W	60 Months
Roswell, 140 W	LCG-RHB-140W	60 Months

SloanLED Global Limited Warranty Period Schedule

Lighting Systems

Indoor Commercial Lighting (cont.)

SloanLED Vista

Product Description	Part No.	Duration
SloanLED Vista, 2'x2'	FP10-2424-3640(X)	60 Months
SloanLED Vista, 1'x4'	FP10-1248-4040(X)	60 Months
SloanLED Vista, 2'x4'	FP10-2448-5040(X)	60 Months
SloanLED Vista, 600 mm x 600 mm	FP10-6060-4040(X)	60 Months
SloanLED Vista, 625 mm x 625 mm	FP10-6262-4040(X)	60 Months
SloanLED Vista, 300 mm x 1200 mm	FP10-3012-4040(X)	60 Months
SloanLED Vista, 600 mm x 1200 mm	FP10-6012-4040(X)	60 Months
Surface Mount Box, 2'x2'	AXSMT-2424-WH	60 Months
Surface Mount Box, 1'x4'	AXSMT-1248-WH	60 Months
Surface Mount Box, 2'x4'	AXSMT-2448-WH	60 Months
Surface Mount Box, 600 mm x 600 mm	AXSMT-6060-WH	60 Months
Surface Mount Box, 625 mm x 625 mm	AXSMT-6262-WH	60 Months
Surface Mount Box, 300 mm x 1200 mm	AXSMT-3012-WH	60 Months
Surface Mount Box, 600 mm x 1200 mm	AXSMT-6012-WH	60 Months
Surface Mount Box, 600 mm x 1200 mm	AXSMT-6012-WH	60 Months
Suspension Kit	AXSUS-4W(X)	60 Months
Battery Backup	AXEMB1-8W-CE	60 Months
1.5 m cord and Wieland plug	AXWCP-15-CE	60 Months

T-LED Snap

Product Description	Part No.	Duration
TLED Snap, 4', 15 W	LG-4FT8-15W	60 Months

Refrigerated Display Lighting

Cold Door

Product Description	Part No.	Duration
Cold Door Center, 3500K, 5' (1.5m)	701906-2-WW-60	60 Months
Cold Door Center, 3500K, 6' (1.8m)	701906-2-WW-66	60 Months
Cold Door Center, 4100K, 5' (1.5m)	701906-2-NW-60	60 Months
Cold Door Center, 4100K, 6' (1.8m)	701906-2-NW-66	60 Months
Cold Door Center, 4100K, 7' (2.1m)	701906-2-NW-75	60 Months
Cold Door Center, 5000K, 5' (1.5m)	701906-2-CW-60	60 Months
Cold Door Center, 5000K, 6' (1.8m)	701906-2-CW-66	60 Months
Cold Door End, 3500K, 5' (1.5m)	701906-2-END-WW-60	60 Months
Cold Door End, 3500K, 6' (1.8m)	701906-2-END-WW-66	60 Months
Cold Door End, 4100K, 5' (1.5m)	701906-2-END-NW-60	60 Months
Cold Door End, 4100K, 6' (1.8m)	701906-2-END-NW-66	60 Months
Cold Door End, 4100K, 7' (2.1m)	701906-2-END-NW-75	60 Months
Cold Door End, 5000K, 5' (1.5m)	701906-2-END-CW-60	60 Months
Cold Door End, 5000K, 6' (1.8m)	701906-2-END-CW-66	60 Months
Cold Door 2 Center, 3500K, 4' (1.2m)	701906-3WC4X2	60 Months
Cold Door 2 Center, 3500K, 5' (1.5m)	701906-3WC5X2	60 Months
Cold Door 2 Center, 3500K, 6' (1.8m)	701906-3WC6X2	60 Months
Cold Door 2 Center, 4000K, 4' (1.2m)	701906-4WC4X2	60 Months
Cold Door 2 Center, 4000K, 5' (1.5m)	701906-4WC5X2	60 Months
Cold Door 2 Center, 4000K, 6' (1.8m)	701906-4WC6X2	60 Months
Cold Door 2 Center, 4000K, 7' (2.1m)	701906-4WC7X2	60 Months
Cold Door 2 Center, 5000K, 4' (1.2m)	701906-5WC4X2	60 Months
Cold Door 2 Center, 5000K, 5' (1.5m)	701906-5WC5X2	60 Months
Cold Door 2 Center, 5000K, 6' (1.8m)	701906-5WC6X2	60 Months
Cold Door 2 End, 3500K, 4' (1.2m)	701906-3WE4X2	60 Months
Cold Door 2 End, 3500K, 5' (1.5m)	701906-3WE5X2	60 Months
Cold Door 2 End, 3500K, 6' (1.8m)	701906-3WE6X2	60 Months
Cold Door 2 End, 4000K, 4' (1.2m)	701906-4WE4X2	60 Months
Cold Door 2 End, 4000K, 5' (1.5m)	701906-4WE5X2	60 Months
Cold Door 2 End, 4000K, 6' (1.8m)	701906-4WE6X2	60 Months

Refrigerated Display Lighting (cont.)

Cold Door (cont.)

Cold Door 2 End, 4000K, 7' (2.1m)	701906-4WE7X2	60 Months
Cold Door 2 End, 5000K, 4' (1.2m)	701906-5WE4X2	60 Months
Cold Door 2 End, 5000K, 5' (1.5m)	701906-5WE5X2	60 Months
Cold Door 2 End, 5000K, 6' (1.8m)	701906-5WE6X2	60 Months
Cold Door 3 Center, ECO, 4000K, 5' (1.5m)	701906-4WC5V3	60 Months
Cold Door 3 Center, ECO, 5000K, 5' (1.5m)	701906-5WC5V3	60 Months
Cold Door 3 Center, ECO, 4000K, 6' (1.8m)	701906-4WC6V3	60 Months
Cold Door 3 Center, ECO, 5000K, 6' (1.8m)	701906-5WC6V3	60 Months
Cold Door 3 Center, ECO, 4000K, 7' (2.1m)	701906-4WC7V3	60 Months
Cold Door 3 Center, ECO, 5000K, 7' (2.1m)	701906-5WC7V3	60 Months
Cold Door 3 End ECO, 4000K, 5' (1.5m)	701906-4WE5V3	60 Months
Cold Door 3 End, ECO, 5000K, 5' (1.5m)	701906-5WE5V3	60 Months
Cold Door 3 End, ECO, 4000K, 6' (1.8m)	701906-4WE6V3	60 Months
Cold Door 3 End ECO, 5000K, 6' (1.8m)	701906-5WE6V3	60 Months
Cold Door 3 End, ECO, 4000K, 7' (2.1m)	701906-4WE7V3	60 Months
Cold Door 3 End, ECO, 5000K, 7' (2.1m)	701906-5WE7V3	60 Months
Cold Door 3 Center, Performance, 4000K, 4' (1.2m)	701906-4WC4X3	60 Months
Cold Door 3 Center, Performance, 5000K, 4' (1.2m)	701906-5WC4X3	60 Months
Cold Door 3 Center, Performance, 4000K, 5' (1.5m)	701906-4WC5X3	60 Months
Cold Door 3 Center, Performance, 5000K, 5' (1.5m)	701906-5WC5X3	60 Months
Cold Door 3 Center, Performance, 4000K, 6' (1.8m)	701906-4WC6X3	60 Months
Cold Door 3 Center, Performance, 5000K, 6' (1.8m)	701906-5WC6X3	60 Months
Cold Door 3 Center, Performance, 4000K, 7' (2.1m)	701906-4WC7X3	60 Months
Cold Door 3 Center, Performance, 5000K, 7' (2.1m)	701906-5WC7X3	60 Months
Cold Door 3 End Performance, 4000K, 4' (1.2m)	701906-4WE4X3	60 Months
Cold Door 3 End, Performance, 5000K, 4' (1.2m)	701906-5WE4X3	60 Months
Cold Door 3 End Performance, 4000K, 5' (1.5m)	701906-4WE5X3	60 Months
Cold Door 3 End, Performance, 5000K, 5' (1.5m)	701906-5WE5X3	60 Months
Cold Door 3 End, Performance, 4000K, 6' (1.8m)	701906-4WE6X3	60 Months
Cold Door 3 End Performance, 5000K, 6' (1.8m)	701906-5WE6X3	60 Months
Cold Door 3 End, Performance, 4000K, 7' (2.1m)	701906-4WE7X3	60 Months
Cold Door 3 End, Performance, 5000K, 7' (2.1m)	701906-5WE7X3	60 Months
100 W, 24 VDC Power Supply	701895-24W	60 Months
100 W, 24 VDC Power Supply	701933	60 Months
100 W, 24 VDC Power Supply	401402	60 Months
Compact 24/40 W Power Supply	410175	60 Months
Invisibility Light Guard, 2-pack, 4' (1.2m)	402074-46-2	60 Months
Invisibility Light Guard, 2-pack, 5' (1.5m)	402074-56-2	60 Months
Invisibility Light Guard, 2-pack, 6' (1.8m)	402074-66-2	60 Months
Invisibility Light Guard, 2-pack, 7' (2.1m)	402074-71-2	60 Months
Invisibility Light Guard, 12-pack, 4' (1.2m)	402074-46-12	60 Months
Invisibility Light Guard, 12-pack, 5' (1.5m)	402074-56-12	60 Months
Invisibility Light Guard, 12-pack, 6' (1.8m)	402074-66-12	60 Months
Invisibility Light Guard, 12-pack, 7' (2.1m)	402074-71-12	60 Months
End Concentrator, 2-pack, 4' (1.2m)	402074-46-EC-2	60 Months
End Concentrator, 2-pack, 5' (1.5m)	402074-56-EC-2	60 Months
End Concentrator, 2-pack, 6' (1.8m)	402074-66-EC-2	60 Months
End Concentrator, 2-pack, 7' (2.1m)	402074-71-EC-2	60 Months
End Concentrator, 12-pack, 4' (1.2m)	402074-46-EC-12	60 Months
End Concentrator, 12-pack, 5' (1.5m)	402074-56-EC-12	60 Months
End Concentrator, 12-pack, 6' (1.8m)	402074-66-EC-12	60 Months
End Concentrator, 12-pack, 7' (2.1m)	402074-71-EC-12	60 Months
Snap-in Clip	401943	60 Months
Snap-in Clip, 24-pack	401943-24	60 Months
Power Controller	701929	60 Months
Clip, Center	400686	60 Months
Clip, End	400686-END	60 Months

SloanLED Global Limited Warranty Period Schedule

Lighting Systems

Refrigerated Display Lighting (cont.)

Cold Door (cont.)

Product Description	Part No.	Duration
Wire Cover, Center	400776	60 Months
Wire Cover, End	400776-END	60 Months
Universal Voltage Power Pack	401352	60 Months
Connector Cable, RJ45, 20' (61 m)	401353	60 Months

Dimming

Product Description	Part No.	Duration
Dimming Controller	701890-PWR	60 Months
Motion Sensor	400661	60 Months
Motion Sensor (Wide Angle)	400964	60 Months

Cold Deck

Product Description	Part No.	Duration
Cold Deck Canopy, 2700K, 3' (900 mm)	701940-2WC3X1	60 Months
Cold Deck Canopy, 2700K, 4' (1200 mm)	701940-2WC4X1	60 Months
Cold Deck Canopy, 3500K, 3' (900 mm)	701940-3WC3X1	60 Months
Cold Deck Canopy, 3500K, 4' (1200 mm)	701940-3WC4X1	60 Months
Cold Deck Canopy, 4000K, 3' (900 mm)	701940-4WC3X1	60 Months
Cold Deck Canopy, 4000K, 4' (1200 mm)	701940-4WC4X1	60 Months
Cold Deck Shelf, 2700K, 3' (900 mm)	701940-2WS3X1	60 Months
Cold Deck Shelf, 2700K, 4' (1200 mm)	701940-2WS4X1	60 Months
Cold Deck Shelf, 3500K, 3' (900 mm)	701940-3WS3X1	60 Months
Cold Deck Shelf, 3500K, 4' (1200 mm)	701940-3WS4X1	60 Months
Cold Deck Shelf, 4000K, 3' (900 mm)	701940-4WS3X1	60 Months
Cold Deck Shelf, 4000K, 4' (1200 mm)	701940-4WS4X1	60 Months
100 W, 24 VDC Power Supply	701895-24C	60 Months
Stand-off Clip	401091	60 Months
Terminal Block, Small	401350	60 Months
Terminal Block, Large	401351	60 Months

Cold Deck FIT

Product Description	Part No.	Duration
Cold Deck FIT Canopy, Prime, 4' (1.2 m)	701940-MWC4F1	60 Months
Cold Deck FIT Canopy, 2700K, 1' (0.3 m)	701940-2WC1F1	60 Months
Cold Deck FIT Canopy, 2700K, 3' (0.9 m)	701940-2WC3F1	60 Months
Cold Deck FIT Canopy, 2700K, 4' (1.2 m)	701940-2WC4F1	60 Months
Cold Deck FIT Canopy, 3500K, 1' (0.3 m)	701940-3WC1F1	60 Months
Cold Deck FIT Canopy, 3500K, 3' (0.9 m)	701940-3WC3F1	60 Months
Cold Deck FIT Canopy, 3500K, 4' (1.2 m)	701940-3WC4F1	60 Months
Cold Deck FIT Canopy, 4000K, 1' (0.3 m)	701940-4WC1F1	60 Months
Cold Deck FIT Canopy, 4000K, 3' (0.9 m)	701940-4WC3F1	60 Months
Cold Deck FIT Canopy, 4000K, 4' (1.2 m)	701940-4WC4F1	60 Months
Cold Deck FIT Shelf, Prime, 4' (1.2 m)	701940-MWS4F1	60 Months
Cold Deck FIT Shelf, 2700K, 1' (0.3 m)	701940-2WS1F1	60 Months
Cold Deck FIT Shelf, 2700K, 3' (0.9 m)	701940-2WS3F1	60 Months
Cold Deck FIT Shelf, 2700K, 4' (1.2 m)	701940-2WS4F1	60 Months
Cold Deck FIT Shelf, 3500K, 1' (0.3 m)	701940-3WS1F1	60 Months
Cold Deck FIT Shelf, 3500K, 3' (0.9 m)	701940-3WS3F1	60 Months
Cold Deck FIT Shelf, 3500K, 4' (1.2 m)	701940-3WS4F1	60 Months
Cold Deck FIT Shelf, 4000K, 1' (0.3 m)	701940-4WS1F1	60 Months
Cold Deck FIT Shelf, 4000K, 3' (0.9 m)	701940-4WS3F1	60 Months
Cold Deck FIT Shelf, 4000K, 4' (1.2 m)	701940-4WS4F1	60 Months
100 W, 24 VDC Power Supply	701895-24C	60 Months
Compact 24/40 W Power Supply	410175	60 Months
Stand-off Clip	401091	60 Months
5 Clip Spanner Wrenches	401368-5	60 Months

Cold Deck FIT (cont.)

Terminal Block, Small	401350	60 Months
Terminal Block, Large	401351	60 Months

Dimming

Product Description	Part No.	Duration
Dimming Controller	701890-PWR	60 Months
Motion Sensor	400661	60 Months
Motion Sensor (Wide Angle)	400964	60 Months
Motion Sensor/High Voltage	401314	60 Months
Lens for 401314	401315	60 Months

Retail Lighting

LEDge

Product Description	Part No.	Duration
LEDge Light Canopy, 4000 K, 3' (0.9 m)	701859-4WC3X4	84 Months*
LEDge Light Canopy, 4000 K, 4' (1.2 m)	701859-4WC4X4	84 Months*
LEDge Light Shelf, 4000 K, 2' (0.6 m)	701859-4WS2X4	84 Months*
LEDge Light Shelf, 4000 K, 3' (0.9 m)	701859-4WS3X4	84 Months*
LEDge Light Shelf, 4000 K, 4' (1.2 m)	701859-4WS4X4	84 Months*
LEDge Light Shelf, 6000 K, 4' (1.2 m)	701859-6WS4X4	84 Months*
LEDge Light Shelf, 4000 K, Frosted lens, 4' (1.2 m)	701859-4WS4D4	84 Months*
LEDge Header, 4000 K, 3' (0.9 m)	RH10N-24V-340-GR	84 Months*
LEDge Header, 4000 K, 4' (1.2 m)	RH10N-24V-440-GR	84 Months*
100 W, 24 VDC Power Supply	701895-24P1	84 Months*

* Warranty applies to product only.

SloanLED Global Limited Warranty Period Schedule

Sign and Architectural Lighting

Channel Letter

BendLUX

Product Description	Part No.	Duration
BendLUX	701960-6WS241	60 Months

Great White 4

Product Description	Part No.	Duration
Great White 4	701269-WL4-MB	60 Months

SloanLED Prism

Product Description	Part No.	Duration
SloanLED Prism (7100 K)	701269-7WSJ1-MB	120 Months [‡]
SloanLED Prism (6500 K), 1.5/ft (4.9/m)	701269-6WSJ1-MB	120 Months [‡]
SloanLED Prism (6500 K), 1/ft (3.3/m)	701269-6WSJ2-MB	120 Months [‡]
SloanLED Prism (6500 K), 2/ft (6.6/m)	701269-6WSJ3-MB	120 Months [‡]
SloanLED Prism (5700 K)	701269-57SJ1-MB	120 Months [‡]
SloanLED Prism (5000 K)	701269-5WSJ1-MB	120 Months [‡]
SloanLED Prism (4000 K)	701269-4WSJ1-MB	120 Months [‡]
SloanLED Prism (3000 K)	701269-3WSJ1-MB	120 Months [‡]
SloanLED Prism Red, 2/ft (6.6/m)	701269-RDSJ3-MB	120 Months [‡]
SloanLED Prism Red, 1.5/ft (4.9/m)	701269-RDSJ1-MB	120 Months [‡]
SloanLED Prism Orange	701269-ORSJ1-MB	120 Months [‡]
SloanLED Prism Yellow	701269-YLSJ1-MB	120 Months [‡]
SloanLED Prism Green	701269-GRSJ1-MB	120 Months [‡]
SloanLED Prism Blue	701269-BLSJ1-MB	120 Months [‡]
SloanLED Prism Mini (7100 K)	701269-7WMJ2-MB	120 Months [‡]
SloanLED Prism Mini (6500 K)	701269-6WMJ2-MB	120 Months [‡]
SloanLED Prism Mini (5000 K)	701269-5WMJ2-MB	120 Months [‡]
SloanLED Prism Mini (4000 K)	701269-4WMJ2-MB	120 Months [‡]
SloanLED Prism Mini (3000 K)	701269-3WMJ2-MB	120 Months [‡]
SloanLED Prism Mini Red	701269-RDMJ2-MB	120 Months [‡]
SloanLED Prism Mini Green	701269-GRMJ2-MB	120 Months [‡]
SloanLED Prism Mini Blue	701269-BLMJ2-MB	120 Months [‡]
SloanLED Prism Mini (6500 K)	701269-6WMJ1-MB	120 Months [‡]
SloanLED Prism HO (6500 K)	701269-6WHJ1-MB	120 Months [‡]
SloanLED Prism HO (5000 K)	701269-5WHJ1-MB	120 Months [‡]
SloanLED Prism HO, 24 V (0.8/ft, 2.6/m)	701269-6W24HJ1-MB	120 Months
SloanLED Prism HO, 24 V (1.5/ft, 4.9/m)	701269-6W24HJ2-MB	120 Months
SloanLED Prism Nano (7200 K)	701269-7WNJ1-MB	120 Months [‡]
SloanLED Prism Nano (6500 K)	701269-6WNJ1-MB	120 Months [‡]
SloanLED Prism Nano (5000 K)	701269-5WNJ1-MB	120 Months [‡]
SloanLED Prism Nano (4000 K)	701269-4WNJ1-MB	120 Months [‡]
SloanLED Prism Nano (3000 K)	701269-3WNJ1-MB	120 Months [‡]
SloanLED Prism Enlighten (7100 K)	701269-7WEJ1-MB	120 Months [‡]
SloanLED Prism Enlighten (6500 K)	701269-6WEJ1-MB	120 Months [‡]
SloanLED Prism Enlighten (5700 K)	701269-57EJ1-MB	120 Months [‡]
SloanLED Prism Enlighten (4000 K)	701269-4WEJ1-MB	120 Months [‡]
SloanLED Prism Enlighten (3000 K)	701269-3WEJ1-MB	120 Months [‡]

SloanLED Prism²⁴

Product Description	Part No.	Duration
SloanLED Prism ²⁴ (7100 K)	701269-7W24SJ1-MB	120 Months
SloanLED Prism ²⁴ (6500 K)	701269-6W24SJ1-MB	120 Months
SloanLED Prism ²⁴ (5000 K)	701269-5W24SJ1-MB	120 Months
SloanLED Prism ²⁴ (4000 K)	701269-4W24SJ1-MB	120 Months
SloanLED Prism ²⁴ (3000 K)	701269-3W24SJ1-MB	120 Months

SloanLED SE

Product Description	Part No.	Duration
SloanLED SE (6500 K)	701269-6WSK1-MB	60 Months

V180

Product Description	Part No.	Duration
V180 Large (6500 K)	701269-6WLG1-MB	60 Months
V180 Large (6500 K)	701269-6WLG2-MB	60 Months
V180 Large (5000 K)	701269-5WLG1-MB	60 Months
V180 Large (5000 K)	701269-5WLG2-MB	60 Months
V180 Standard (7200 K)	701269-7WSG1-MB	60 Months
V180 Standard (6500 K)	701269-6WSG1-MB	60 Months
V180 Standard (5000 K)	701269-5WSG1-MB	60 Months
V180 Standard (4000 K)	701269-4WSG1-MB	60 Months
V180 Standard (3000 K)	701269-3WSG1-MB	60 Months
V180 Mini (6500 K)	701269-WLP2-MB	60 Months
V180 HB Mini (6500 K)	701269-6WVG2-MB	60 Months

VL Plus

Product Description	Part No.	Duration
VL Plus 3 White (6500 K)	701269-6WSA3-MB	120 Months [†]
VL Plus 3 White (5000 K)	701269-5WSA3-MB	120 Months [†]
VL Plus 3 White (4000 K)	701269-4WSA3-MB	120 Months [†]
VL Plus 3 White (3000 K)	701269-3WSA3-MB	120 Months [†]
VL Plus 3 Mini White (6500 K)	701269-6WMA3-MB	120 Months [†]
VL Plus 3 Mini White (5000 K)	701269-5WMA3-MB	120 Months [†]
VL Plus 3 Mini White (4000 K)	701269-4WMA3-MB	120 Months [†]
VL Plus 3 HO White (6500 K)	701269-6WHA3-MB	120 Months [†]
VL Plus 3 HO White (5000 K)	701269-5WHA3-MB	120 Months [†]
VL Plus 3 Red	701269-RDSA3-MB	120 Months [†]
VL Plus 3 Green	701269-GRSA3-MB	120 Months [†]
VL Plus 3 Blue	701269-BLSA3-MB	120 Months [†]
VL Plus 2 White Long (6500 K)	701269-6WLA2-MB	60 Months
VL Plus 2 White Short (7200 K)	701269-7WSA2-MB	60 Months
VL Plus 2 White Short (6500 K)	701269-6WSA2-MB	60 Months
VL Plus 2 White Short (5000 K)	701269-5WSA2-MB	60 Months
VL Plus 2 White Short (4000 K)	701269-4WSA2-MB	60 Months
VL Plus 2 White Short (3000 K)	701269-3WSA2-MB	60 Months
VL Plus 2 White Mini (6500 K)	701269-6WMA2-MB	60 Months
VL Plus White Long (6500 K)	701269-WVLL-MB	60 Months
VL Plus White Short (7200 K)	701269-7WSA1-MB	60 Months
VL Plus White Short (6500 K)	701269-WVLS-MB	60 Months
VL Plus White Short (5000 K)	701269-5WSA1-MB	60 Months
VL Plus White Short (4000 K)	701269-4WSA1-MB	60 Months
VL Plus White Short (3000 K)	701269-3WSA1-MB	60 Months
VL Plus 2 White HB Short (6500 K)	701269-6WHA1-MB	60 Months
VL Plus White Mini (6500 K)	701269-WVLM-MB	60 Months
VL Plus Red Long	701269-RVLL-MB	60 Months
VL Plus Red Short	701269-RVLS-MB	60 Months
VL Plus Orange Short	701269-ORSA1-MB	60 Months
VL Plus Yellow Short	701269-YLSA1-MB	60 Months
VL Plus Green Short	701269-GRSA1-MB	60 Months
VL Plus Blue Short	701269-BLSA1-MB	60 Months

* Warranty Period subject to all terms and conditions listed herein.

‡ 120 months begins September 12, 2018. All product prior has a 60 month warranty.

† 120 months begins August 1, 2019. All product prior has a 60 month warranty.

SloanLED Global Limited Warranty Period Schedule

Sign and Architectural Lighting

Channel Letter

V Series

Product Description	Part No.	Duration
V Series Red	701269-RLP-MB	60 Months
V Series Red/Orange	701269-ROLP-MB	60 Months
V Series Orange	701269-OLP-MB	60 Months
V Series Yellow	701269-YLP-MB	60 Months
V Series Green	701269-GLPZ-MB	60 Months
V Series Blue	701269-BLP-MB	60 Months
V Series White (7200 K)	701269-WLPY-MB	60 Months
V Series White (4200 K)	701269-WWLPY-MB	60 Months
V Series 2 White (7200 K)	701269-WV2-MB	60 Months

Sign Cabinet/Box

PosterBOX

Product Description	Part No.	Duration*
PosterBOX (6500 K)	701946-CWPBM	120 Months†
PosterBOX (5000 K)	701946-NWPBM	120 Months†
PosterBOX Slim (6500 K)	701946-6WXLP1	120 Months†
PosterBOX Slim (5000 K)	701946-5WXLP1	120 Months†
PosterBOX Slim 2 (6500 K)	701946-6WXLP(X)	120 Months†
PosterBOX Slim 2 (5000 K)	701946-5WXLP(X)	120 Months†
PosterBOX 3 Long (6500 K)	701946-6WLRP1	120 Months†
PosterBOX 3 Short (6500 K)	701946-6WSRP1	120 Months†
PosterBOX Mini	701946-6WMLP1	120 Months†

SignBOX

Product Description	Part No.	Duration*
SignBOX	701946-CWSBL	120 Months†
SignBOX II Single-sided (6500 K)	701946-6WS201	60 Months
SignBOX II Single-sided (5000 K)	701946-5WS201	60 Months
SignBOX II Double-sided (6500 K)	701946-6WD201	60 Months
SignBOX II Double-sided (5000 K)	701946-5WD201	60 Months
SignBOX 3 Single-sided (6500 K)	701946-6WSLS1	120 Months†
SignBOX 3 Single-sided (5000 K)	701946-5WSLS1	120 Months†
SignBOX 3 Double-sided (6500 K)	701946-6WDLS1	120 Months†
SignBOX 3 Double-sided (5000 K)	701946-5WDLS1	120 Months†
SignBOX 3 Module (6500 K)	701946-6WSLT1	120 Months†
SignBOX 3 Module (5000 K)	701946-5WSLT1	120 Months†
SignBOX 3 Slim (6500 K)	701946-6WDLS2	120 Months†

SignBOX RapidStick

SignBOX RapidStick (6500 K) 18-120" (0.46-3.05 m)	701972-6WD(XXX)1	60 Months
--	------------------	-----------

SloanLED PrismBEAM

Product Description	Part No.	Duration*
SloanLED PrismBEAM (Single-sided) 18-120" (0.46-3.05 m)	701972-6WPS(XXX)1	120 Months†
SloanLED PrismBEAM (Double-sided) 18-120" (0.46-3.05 m)	701972-6WPD(XXX)1	120 Months†

Sign Cabinet/Box

PosterBOX

Product Description	Part No.	Duration*
PosterBOX (6500 K)	701946-CWPBM	120 Months†
PosterBOX (5000 K)	701946-NWPBM	120 Months†
PosterBOX Slim (6500 K)	701946-6WXLP1	120 Months†
PosterBOX Slim (5000 K)	701946-5WXLP1	120 Months†
PosterBOX Slim 2 (6500 K)	701946-6WXLP(X)	120 Months†
PosterBOX Slim 2 (5000 K)	701946-5WXLP(X)	120 Months†
PosterBOX 3 Long (6500 K)	701946-6WLRP1	120 Months†
PosterBOX 3 Short (6500 K)	701946-6WSRP1	120 Months†
PosterBOX Mini	701946-6WMLP1	120 Months†

SignBOX

Product Description	Part No.	Duration*
SignBOX	701946-CWSBL	120 Months†
SignBOX II Single-sided (6500 K)	701946-6WS201	60 Months
SignBOX II Single-sided (5000 K)	701946-5WS201	60 Months
SignBOX II Double-sided (6500 K)	701946-6WD201	60 Months
SignBOX II Double-sided (5000 K)	701946-5WD201	60 Months
SignBOX 3 Single-sided (6500 K)	701946-6WSLS1	120 Months†
SignBOX 3 Single-sided (5000 K)	701946-5WSLS1	120 Months†
SignBOX 3 Double-sided (6500 K)	701946-6WDLS1	120 Months†
SignBOX 3 Double-sided (5000 K)	701946-5WDLS1	120 Months†
SignBOX 3 Module (6500 K)	701946-6WSLT1	120 Months†
SignBOX 3 Module (5000 K)	701946-5WSLT1	120 Months†
SignBOX 3 Slim (6500 K)	701946-6WDLS2	120 Months†

SignBOX RapidStick

SignBOX RapidStick (6500 K) 18-120" (0.46-3.05 m)	701972-6WD(XXX)1	60 Months
--	------------------	-----------

SloanLED PrismBEAM

Product Description	Part No.	Duration*
SloanLED PrismBEAM (Single-sided) 18-120" (0.46-3.05 m)	701972-6WPS(XXX)1	120 Months†
SloanLED PrismBEAM (Double-sided) 18-120" (0.46-3.05 m)	701972-6WPD(XXX)1	120 Months†

SloanLED PrismBEAM 24V

Product Description	Part No.	Duration*
SloanLED PrismBEAM 24V (Single-sided) 18-120" (0.46-3.05 m)	701972-6WPS(XXX)2	120 Months†
SloanLED PrismBEAM 24V (Double-sided) 18-120" (0.46-3.05 m)	701972-(X)WPD(YYY)2	120 Months†
SloanLED PrismBEAM 24V (Double-sided) 18-120" (0.46-3.05 m)	701972-(X)WPD(YYY)3	120 Months†

* Warranty Period subject to all terms and conditions listed herein.

† 120 months begins September 12, 2018. All product prior has a 60 month warranty.

SloanLED Global Limited Warranty Period Schedule

Power Supplies

Border Tubing/Accent

ColorLINE

Product Description	Part No. [†]	Duration*
Red, Orange, Yellow, Green,	701800-Color-X	60 Months
Green, White, Warm White	701800-Color-X	60 Months
Warm White	701800A-Color-X	60 Months
Green, Blue	701800A-Color-X	60 Months
Ruby Red, Citrus Orange, Noviol Gold	701800C-Color-X	60 Months
Emerald Green, Bromo Blue	701800C-Color-X	60 Months

FlexiBRITE

Product Description	Part No. †	Duration*
Ruby Red, Orange, Yellow	701499-Color-X	60 Months
Green, Blue	701499-Color-X	60 Months
Citrus Orange, Noviol Gold	701499C-Color-X	60 Months
Emerald Green, Bromo Blue, Snow White	701499D-Color-X	60 Months

LEDStripe

Product Description	Part No.	Duration
Red	701189-XH	60 Months
Pink	701189-PK-X	60 Months
Orange	701189-A-XD	60 Months
Amber	701189-Y-XD	60 Months
True Yellow	701189-YT-X	60 Months
Lemon Yellow	701189E-WY-XD	60 Months
Green	701189A-G-X	60 Months
Green	701189D-G-X	60 Months
Blue	701189A-B-XD	60 Months
Purple	701189-PR-X	60 Months
White (6500 K)	701189E-W-XD	60 Months
Custom Colors	701189-Color-X	60 Months

Shell RedBar

Product Description	Part No.	Duration*
Shell RedBar, 8.9' (2.7 m)	701801-2WRM41	120 Months [‡]
Shell RedBar, 4.4' (1.3 m)	701801-2WRS41	120 Months [‡]

Fluorescent Alternative

HighLINER

Product Description	Part No.	Duration*
HighLINER, 5000K, 4' (1.2 m)	701912	60 Months
HighLINER, 6500K, 4' (1.2 m)	701912-65	60 Months
HighLINER 2, 5000K, 4' (1.2 m)	701912-C1I75	60 Months
HighLINER 2, 5000K, 1' (0.3 m)	701912-L1C1I75	60 Months
HighLINER 2, 3500K, 4' (1.2 m)	701912-35C2I75	60 Months
HighLINER 2, 3500K, 1' (0.3 m)	701912-L135C2I75	60 Months
100 W, 24 VDC Power Supply	701895-24C	60 Months
Clip	400686	60 Months
Wire Cover	400860	60 Months

SlimLINER

Product Description	Part No.	Duration*
SlimLINER, 5000 K	701956-5WL461	60 Months
SlimLINER, 3500 K	701956-3WL461	60 Months

Power Supplies

Power Supplies – 12 VDC

Product Description	Part No.	Duration*
Self-Contained 20 W	701680	60 Months
Compact 12/25 W	410174	60 Months
60C1 60 W	701507-60C1	60 Months
60W1 60 W	701507-60W1	60 Months
60W2 60 W	701507-60W2	60 Months
60W3 60 W	701507-60W3	60 Months
60W2E 60 W	701507-60W2E	60 Months
MODW 60 W	701507-MODW	60 Months
MODWE 60 W	701507-MODWE	60 Months
MOD277 60 W	701507-MOD277	60 Months
120D1 120 W	701507-120D1	60 Months

Power Supply – 24 VDC

Product Description	Part No.	Duration*
24 VDC 100 W	701895-24C	60 Months
24 VDC 100 W	701895-24C1	60 Months
24 VDC 100 W	701936	60 Months
24S1 100 W	701895-24S1	60 Months
300T1 300 W	701895-300T1	60 Months
Compact 24/40 W*	410175	60 Months

Dimming Solutions

Product Description	Part No.	Duration*
Dimming Control Box	701843	60 Months
Dimming Module	701817	60 Months
Universal LED Bluetooth Dimmer	601115	60 Months

* Warranty Period subject to all terms and conditions listed herein.

† "X" in part number denotes size (where multiple sizes are available).

All sizes are covered under the warranty stated.

¥ For EU/ROW installations only. Not intended for North American installations.

Spa Lighting

Bullet Lights

Product Description	Part No.	Duration*
Hexa-LED Bullet	701564-6-DLO	36 Months
Quad-LED Bullet	701564-4-F	36 Months
Dual-LED Bullet	701564-2-F	36 Months
Single-LED Bullet	701564-1-F	36 Months
Quad-LED Bullet, extra long leads	701564-4-F-XL	36 Months
Quad-LED Bullet, extended length	701564-4-F-38	36 Months
Bullet Lens	400372	36 Months
Bullet Nut	400338	36 Months
O-Ring, .364 IDX .070 CS	400417	36 Months
O-Ring, .362 IDX .130 CS	400510	36 Months

Cluster Main Lights

Product Description	Part No.	Duration*
21-LED Cluster	701570-21-DLSO	36 Months
18-LED Cluster	701570-18-DLSO	36 Months
14-LED Cluster	701570-14-DLSO	36 Months
12-LED Cluster	701570-12-DLSO	36 Months
7-LED Cluster	701570-7-DLSO-S	36 Months
6-LED Cluster	701570-6-DLSO-S	36 Months

Perimeter and Skirt Lights

Product Description	Part No.	Duration*
6' Premium Perimeter String	701755-M4-18-DLO	36 Months
Skirt Light	701787	36 Months
LiquaLED Strip Light, 22"	701963-RGB-4P-22	36 Months
LiquaLED Strip Light, 81"	701963-RGB-4P-81	36 Months

Controllers

Product Description	Part No.	Duration*
Multi-Zone Controller	701898-DLO	36 Months
Control 40	701678-DLO	36 Months
Control 20	701931-DLO	36 Months
9-LED Mini UltraBrite Light w/ Bi-Pin	701861-9-P	36 Months

UltraBRITE LED Light

Product Description	Part No.	Duration*
12-LED UltraBRITE Light	701739-SAOX1	36 Months

Accessories

Product Description	Part No.	Duration*
2' Jumper Cable	410117-24-O	36 Months
5' Jumper Cable	410117-60-O	36 Months

* Warranty Period subject to all terms and conditions listed herein.

Classical Lighting

Classical Lighting Products

Product Description	Part No.	Duration*
Indicator lights	All part numbers	60 months