

SloanLED Performance+ Turnkey Service Warranty

Lighting Systems – U.S. & Canada

PAGE 1 OF 7

SloanLED's Performance+ Turnkey Service Warranty applies to all SloanLED Lighting Systems products installed within continental United States and Canada and covers the repair or replacement of these products at the installation location by SloanLED for two years from the date of shipment.

The initial request for service can be made by emailing our service case team at Service@SloanLED.com, by completing the online Service Request Form, or by reaching out to our inside support team at 805-351-4922.

To enable our service team to promptly address your service needs, please complete the Service Request Form at the link below and include all required information. Attach site photos of the existing conditions and include any additional details that will aid the service team in their preparation. Once the existing conditions are confirmed, our service team will schedule the repair work. The standard service lead time is 7-10 working days. Service lead times can be impacted by material availability and/or weather and site conditions. Our service team will coordinate the service date with the point of contact provided on the Service Request Form.

The Performance+ Turnkey Service Warranty is limited to the lighting and control products purchased from SloanLED and does not cover issues with electrical feeds, power surges, alterations, improper installation or operation, and physical damage. Should the contractor find the issue not to be associated with a SloanLED Lighting Systems product, we will attempt to reach the point of contact provided on the Service Request Form for approval to proceed with the repairs at a quoted cost while the contractor is still on site.

► **The claim form and process can be found at <https://sloanled.com/PerformancePlusTurnkeyService>**

► **Information on SloanLED Global Limited Warranty can be viewed at <https://sloanled.com/downloads/SloanLEDGlobalLimitedWarranty.pdf>**

► **Information on SloanLED Global Limited Labor Assistance for Sign products can be viewed at <https://sloanled.com/downloads/SloanLEDGlobalLimitedLaborAssistance.pdf>**

SloanLED Performance+ Turnkey Service Warranty

Lighting Systems – U.S. & Canada

PAGE 2 OF 7

Outdoor Commercial Lighting

Detroit

Product Description	Part No.	Duration
Detroit, SC Wall Pack, 45 W	LCG-WPSC-45W	24 Months
Detroit, SC Wall Pack, 70 W	LCG-WPSC-70W	24 Months
Detroit, SC Wall Pack, 100 W	LCG-WPSC-100W	24 Months
Detroit, SC Wall Pack, 150 W	LCG-WPSC-150W	24 Months

Optimus

Product Description	Part No.	Duration
Optimus, 60 W	LCG-SB-60W	24 Months
Optimus, 100 W	LCG-SB-100W	24 Months
Optimus, 150 W	LCG-SB-150W	24 Months
Optimus, 200 W	LCG-SB-200W	24 Months
Optimus, 300 W	LCG-SB-300W	24 Months
Optimus 2, 60 W	LCA-SB-60W	24 Months
Optimus 2, 100 W	LCA-SB-100W	24 Months
Optimus 2, 150 W	LCA-SB-150W	24 Months
Optimus 2, 200 W	LCA-SB-200W	24 Months
Optimus 2, 300 W	LCA-SB-300W	24 Months

PDL3 MODUS

Product Description	Part No.	Duration
PDL3 MODUS, 75 W, 4000 K	701948-4WTWT3-M75(XX)	24 Months
PDL3 MODUS, 75 W, 5000 K	701948-5WTWT3-M75(XX)	24 Months
PDL3 MODUS, 150 W, 4000 K	701948-4WTWT3-M150(XX)	24 Months
PDL3 MODUS, 150 W, 5000 K	701948-5WTWT3-M150(XX)	24 Months
PDL3 MODUS, Clear	701948-5WCWT3-M	24 Months
PDL3 MODUS, Textured	701948-5WTWT3-M	24 Months
PDL3 MODUS HO, Clear, White	701948-5WCWT3-MH	24 Months
PDL3 MODUS HO, Textured, White	701948-5WTWT3-MH	24 Months
PDL3 MODUS HO, Clear, Bronze	701948-5WCBZ3-MH	24 Months
PDL3 MODUS HO, Textured, Bronze	701948-5WTBZ3-MH	24 Months
PDL3 MODUS HO, 4000 K, White	701948-4WTWT3-MH200(XX)	24 Months
PDL3 MODUS HO, 4000 K, Bronze	701948-4WTBZ3-MH200(XX)	24 Months
PDL3 MODUS HO, 5000 K, White	701948-5WTWT3-MH200(XX)	24 Months
PDL3 MODUS HO, 5000 K, Bronze	701948-5WTBZ3-MH200(XX)	24 Months
75 W NA Canopy PS Kit	MOD2.1 / 601074	24 Months
150 W NA Canopy PS Kit	MOD2.2 / 601075	24 Months
200 W NA Canopy PS Kit	MOD2.3 / 601076	24 Months
75 W NA Walk-in Cooler PS Kit	MOD3.1 / 601077	24 Months
150 W NA Walk-in Cooler PS Kit	MOD3.2 / 601078	24 Months
200 W NA Walk-in Cooler PS Kit	MOD3.3 / 601079	24 Months
75 W NA Surface Mount PS Kit	MOD4.1 / 601080	24 Months
150 W NA Surface Mount PS Kit	MOD4.2 / 601081	24 Months
200 W NA Surface Mount PS Kit	MOD4.3 / 601082	24 Months
75 W NA Retrofit PS Kit	MOD5.1 / 601083	24 Months
150 W NA Retrofit PS Kit	MOD5.2 / 601084	24 Months
200 W NA Retrofit PS Kit	MOD5.3 / 601085	24 Months
75 W Dimming Controller	601092	24 Months
150 W Dimming Controller	601093	24 Months
200 W Dimming Controller	601094	24 Months
Mounting Plate	401568-700	24 Months
Mounting Plate, Bronze	401568-700MH	24 Months
Shoebox Mounting Plate	401397	24 Months
Shoebox Mounting Plate, Bronze	401397-BZ	24 Months
Blank Plate	401219	24 Months
Blank Plate, Bronze	401219-BZ	24 Months
1-10 V Connector Cable	410168	24 Months

PetroLuma

Product Description	Part No.	Duration
PetroLuma, Canopy, 95 W	LCG-GS-95W	24 Months

Pole Mount Light 2A

Product Description	Part No.	Duration
Pole Mount Light 2A	701955-5WXAX2	24 Months
Pole Mount Light 2A, Motion Sensor	701955-5WXAM2	24 Months
Pole Mount Light 2A, Motion Sensor, Photocell Socket	701955-5WXAB2	24 Months
Square Pole Tenon Kit	601102	24 Months
Round Pole Tenon Kit	601017	24 Months
Photocell Socket	401763	24 Months

Pole Mount Light 2B

Product Description	Part No.	Duration
Pole Mount Light 2B	701955-5WSBX2	24 Months
Pole Mount Light 2B, Motion Sensor	701955-5WSBM2	24 Months
Square Pole Tenon Kit	601102	24 Months
Round Pole Tenon Kit	601017	24 Months

Portland

Product Description	Part No.	Duration
Portland, FC Wall Pack, 45 W	LCG-WPFC-45W	24 Months
Portland, FC Wall Pack, 70 W	LCG-WPFC-70W	24 Months

Solarta

Product Description	Part No.	Duration
Solarta, Flood Light, 45 W	LCG-FL-45W	24 Months
Solarta, Flood Light, 70 W	LCG-FL-70W	24 Months
Trunnion Mount	LCG-TRUNNION	24 Months

SurfLite 1

Product Description	Part No.	Duration
SurfLite 1, 35 W	LCG-CP-35W	24 Months
SurfLite 1, 45 W	LCG-CP-45W	24 Months
SurfLite 1, 65 W	LCG-CP-65W	24 Months

Twilight

Product Description	Part No.	Duration
Twilight, 30 W	LCG-PT-30W	24 Months
Twilight, 40 W	LCG-PT-40W	24 Months
Twilight, 50 W	LCG-PT-50W	24 Months
Twilight, 80 W	LCG-PT-80W	24 Months
Twilight, 100 W	LCG-PT-100W	24 Months

SloanLED Performance+ Turnkey Service Warranty

Lighting Systems – U.S. & Canada

Indoor Commercial Lighting

Area 51

Product Description	Part No.	Duration
Area 51, 100 W	LCGFO-100W	24 Months
Area 51, 150 W	LCGFO-150W	24 Months
Area 51, 200 W	LCGFO-200W	24 Months

Borealis

Product Description	Part No.	Duration
Borealis, 2' x 2', 40 W	LCG-TF22-40W	24 Months
Borealis, 2' x 4', 50 W	LCG-TF24-50W	24 Months
Borealis, 2' x 2', 35 W	LCG-TF22-35W	24 Months
Borealis, 2' x 4', 48 W	LCG-TF24-48W	24 Months

Daybreak

Product Description	Part No.	Duration
Daybreak, 2' x 2', 27 W	LCG-TR22-27W	24 Months
Daybreak, 2' x 2', 40 W	LCG-TR22-40W	24 Months
Daybreak, 2' x 4', 40 W	LCG-TR24-40W	24 Months
Daybreak, 2' x 4', 62 W	LCG-TR24-62W	24 Months
Daybreak, 1' x 4', 40 W	LCG-TR14-40W	24 Months
Battery Backup PS, 8 W	EM-L0854	24 Months
Battery Backup PS, 16 W	EM-L1654	24 Months
Battery Backup PS, 25 W	EM-L2554	24 Months

SloanLED Horizon

Product Description	Part No.	Duration
SloanLED Horizon, 1' x 4'	FP20-1248-32(XX)V-(YY)(ZZZ)	24 Months
SloanLED Horizon, 2' x 2'	FP20-2424-32(XX)V-(YY)(ZZZ)	24 Months
SloanLED Horizon, 2' x 4', 40 W	FP20-2448-40(XX)V-(YY)(ZZZ)	24 Months
SloanLED Horizon, 2' x 4', 50 W	FP20-2448-55(XX)V-(YY)(ZZZ)	24 Months
Suspension Kit	AXSUS-4WB	24 Months
Battery Backup	AXEMB1-8W-CE	24 Months

SloanLED Performance+ Turnkey Service Warranty

Lighting Systems – U.S. & Canada

PAGE 4 OF 7

Achieve

Achieve Round High Bay

Product Description	Part No.	Duration
Achieve Round High Bay, 100 W, 120-277 V	SRHB-100-U	24 Months
Achieve Round High Bay, 100 W, 347-480 V	SRHB-100-H	24 Months
Achieve Round High Bay, 166 W, 120-277 V	SRHB-166-U	24 Months
Achieve Round High Bay, 166 W, 347-480 V	SRHB-166-H	24 Months
Achieve Round High Bay, 245 W, 120-277 V	SRHB-245-U	24 Months
Achieve Round High Bay, 245 W, 347-480 V	SRHB-245-H	24 Months
Acrylic reflector	SRHB-AC	24 Months
Aluminum reflector	SRHB-AL	24 Months
16" Flat conical lens and clamp band	SRHB-FA	24 Months
16" Flat glass lens and clamp band	SRHB-FC	24 Months
16" Conical lens and clamp band	SRHB-Y	24 Months
Pendant mount wiring assembly	SRHB-P	24 Months
16" Wire guard	SRHB-WG	24 Months
Remote	SRHB-R	24 Months

Contractor Essentials™

CE: BVTPLED Standard Linear Vapor Tights

Product Description	Part No.	Duration
BVTPLED Standard Linear Vapor Tight, 40 W	BVTPLED-40	24 Months
BVTPLED Standard Linear Vapor Tight, 52 W	BVTPLED-52	24 Months

CE: BWALED Utility Wraps

Product Description	Part No.	Duration
BWALED Utility Wrap	BWALED4FT-40	24 Months

CE: CB Troffers

Product Description	Part No.	Duration
CB Troffers, 2' x 2', 24 W	CB22-3L	24 Months
CB Troffers, 2' x 4', 33 W	CB24-5L	24 Months

CE: CPLED Parking Garage Luminaires

Product Description	Part No.	Duration
CPLED Parking Garage Luminaire, 40 W	CPLD-5	24 Months
CPLED Parking Garage Luminaire, 56 W	CPLD-7	24 Months
CPLED Parking Garage Luminaire, 102 W	CPLD-13	24 Months

CE: EDG Edge-lit Parking Garage Lights

Product Description	Part No.	Duration
EDG Edge-lit Parking Garage Lights, 45 W	EDG-45U	24 Months
EDG Edge-lit Parking Garage Lights, 70 W	EDG-70U	24 Months
Remote Control	RC100	24 Months

CE: FP20 Premium Backlit Panels

Product Description	Part No.	Duration
FP20 Premium Backlit Panel, 1'x4', 32 W	FP20-1248-32	24 Months
FP20 Premium Backlit Panel, 2'x2', 32 W	FP20-2424-32	24 Months
FP20 Premium Backlit Panel, 2'x4', 40 W	FP20-2448-40	24 Months
FP20 Premium Backlit Panel, 2'x4', 55 W	FP20-2448-55	24 Months

CE: GRPL Bollards

Product Description	Part No.	Duration
GRPL Bollard, full lens	GRPL-5510	24 Months
GRPL Bollard, louvered	GRPL-5520	24 Months

Contractor Essentials™ (cont.)

CE: HBR Premium Round High Bays

Product Description	Part No.	Duration
HBR Prem. Round High Bay, 14,000 Lumens	HBR-14L	24 Months
HBR Prem. Round High Bay, 20,000 Lumens	HBR-20L	24 Months
HBR Prem. Round High Bay, 28,000 Lumens	HBR-28L	24 Months
HBR Prem. Round High Bay, 32,000 Lumens	HBR-32L	24 Months

CE: HBRE Economy Round High Bays

Product Description	Part No.	Duration
HBRE Econ. Round High Bay, 14,000 Lumens	HBRE-14L	24 Months
HBRE Econ. Round High Bay, 21,000 Lumens	HBRE-21L	24 Months
HBRE Econ. Round High Bay, 28,000 Lumens	HBRE-28L	24 Months
HBRE Econ. Round High Bay, 34,000 Lumens	HBRE-34L	24 Months

CE: LEDHBR Round High Bays

Product Description	Part No.	Duration
LEDHBR Round High Bay, 100 W	LEDHBR[X]-14	24 Months
LEDHBR Round High Bay, 150 W	LEDHBR[X]-21	24 Months
LEDHBR Round High Bay, 200 W	LEDHBR[X]-27	24 Months
LEDHBR Round High Bay, 239 W	LEDHBR[X]-32	24 Months

CE: LEDMPALPRO Commercial Flood Lights

Product Description	Part No.	Duration
LEDMPALPRO Commercial Flood Light, 15 W	LEDMPALPRO15	24 Months
LEDMPALPRO Commercial Flood Light, 30 W	LEDMPALPRO30	24 Months
LEDMPALPRO Commercial Flood Light, 50 W	LEDMPALPRO50	24 Months
LEDMPALPRO Commercial Flood Light, 80 W	LEDMPALPRO80	24 Months
LEDMPALPRO Commercial Flood Light, 100 W	LEDMPALPRO100	24 Months
LEDMPALPRO Commercial Flood Light, 140 W	LEDMPALPRO140	24 Months
LEDMPALPRO Commercial Flood Light, 240 W	LEDMPALPRO240	24 Months
LEDMPALPRO Commercial Flood Light, 280 W	LEDMPALPRO280	24 Months

CE: LEDWPA Wall Packs

Product Description	Part No.	Duration
LEDWPA Wall Pack, 25 W	LEDWPA25W	24 Months
LEDWPA Wall Pack, 40 W	LEDWPA40W	24 Months
LEDWPA Wall Pack, 60 W	LEDWPA60W	24 Months

CE: PG CCT Select Parking Garage Luminaires

Product Description	Part No.	Duration
PG CCT Select Parking Garage Luminaires, 40 W	PG-5L-KFS	24 Months
PG CCT Select Parking Garage Luminaires, 56 W	PG-10L-KFS	24 Months

CE: PNL Standard Backlit Panels

Product Description	Part No.	Duration
PNL Standard Backlit Panels, 2'x2', 36 W	PNL2X2-40L	24 Months
PNL Standard Backlit Panels, 2'x4', 44 W	PNL2X2-40L	24 Months

CE: SHL2 Linear High Bays

Product Description	Part No.	Duration
SHL2 Linear High Bay, 90 W	SHL2-090	24 Months
SHL2 Linear High Bay, 135 W	SHL2-135	24 Months
SHL2 Linear High Bay, 180 W	SHL2-180	24 Months
SHL2 Linear High Bay, 265 W	SHL2-265	24 Months
SHL2 Linear High Bay, 320 W	SHL2-320	24 Months

SloanLED Performance+ Turnkey Service Warranty

Lighting Systems – U.S. & Canada

PAGE 5 OF 7

Contractor Essentials™ (cont.)

CE: SLVT Premium Linear Vapor Tights

Product Description	Part No.	Duration
SLVT Premium Linear Vapor Tights, 2', 25 W	SLVT24-25	24 Months
SLVT Premium Linear Vapor Tights, 4', 35 W	SLVT48-35	24 Months
SLVT Premium Linear Vapor Tights, 4', 55 W	SLVT48-55	24 Months
SLVT Premium Linear Vapor Tights, 4', 75 W	SLVT48-75	24 Months

CE: SL Strip Lights

Product Description	Part No.	Duration
SL Strip Light, 2', 20 W	SL-2FT-25L	24 Months
SL Strip Light, 3', 25 W	SL-3FT-33L	24 Months
SL Strip Light, 4', 35 W	SL-4FT-46L	24 Months
SL Strip Light, 8', 65 W	SL-8FT-80L	24 Months

CE: TRF CCT & Power Select Troffers

Product Description	Part No.	Duration
TRF CCT & Power Select Troffers, 2'x2'	22TRF	60 Months
TRF CCT & Power Select Troffers, 2'x4'	24TRF	60 Months

CE: WLE Economy Wrap

Product Description	Part No.	Duration
WLE Economy Wrap, 3000 K	WLE-4FT-40L-3K	24 Months
WLE Economy Wrap, 4000 K	WLE-4FT-40L-4K	24 Months
WLE Economy Wrap, 5000 K	WLE-4FT-40L-5K	24 Months

CE: WPA Wall Packs

Product Description	Part No.	Duration
WPA Wall Pack, 4000 K	WPA-[XX]-4K	24 Months
WPA Wall Pack, 5000 K	WPA-[XX]-5K	24 Months

Symphony

Symphony Area Light

Product Description	Part No.	Duration
Symphony Area Light, 60 W	SYM-AL-60W	24 Months
Symphony Area Light, 100 W	SYM-AL-100W	24 Months
Symphony Area Light, 150 W	SYM-AL-150W	24 Months
Symphony Area Light, 200 W	SYM-AL-200W	24 Months
Symphony Area Light, 300 W	SYM-AL-300W	24 Months

Symphony Bollard

Product Description	Part No.	Duration
Symphony Bollard, Dome Top	SYM-BD6	24 Months
Symphony Bollard, Post Top	SYM-BT6	24 Months

Symphony Floodlight

Product Description	Part No.	Duration
Symphony Floodlight, Medium, 70 W	SYM-F-M-70	24 Months
Symphony Floodlight, Large, 100 W	SYM-F-L-100	24 Months
Symphony Floodlight, Large, 150 W	SYM-F-L-150	24 Months
Symphony Floodlight, X-Large, 200 W	SYM-F-X-200	24 Months
Symphony Floodlight, X-Large, 240 W	SYM-F-X-240	24 Months
Slipfitter	SYM-F-SP	24 Months
Knuckle mount	SYM-F-NK	24 Months
Yoke mount, Medium	SYM-F-SYK	24 Months
Yoke mount, Large & X-Large	SYM-F-LYK	24 Months
Wire guard	SYM-F-(B)-WG	24 Months
Top visor	SYM-F-(B)-TV	24 Months
Bottom visor	SYM-F-(B)-BV	24 Months
Remote	SYM-F-R	24 Months

Symphony Garage Lighter

Product Description	Part No.	Duration
Symphony Garage Lighter, 35 W	SYM-GL35	24 Months
Symphony Garage Lighter, 54 W	SYM-GL54	24 Months
Symphony Garage Lighter, 70 W	SYM-GL70	24 Months
Remote	SYM-GLR	24 Months

Symphony Wall Mount Luminaire

Product Description	Part No.	Duration
Symphony Wall Mount Luminaire, Wedge	SYM-W	24 Months
Symphony Wall Mount Luminaire, Half moon	SYM-HM	24 Months
Symphony Wall Mount Luminaire, Quarter Sphere	SYM-QS	24 Months
Symphony Wall Mount Luminaire, Up/down half moon	SYM-UDHM	24 Months
Remote	SYM-WR	24 Months

SloanLED Performance+ Turnkey Service Warranty

Lighting Systems – U.S. & Canada

Refrigerated Display Lighting

Cold Door

Product Description	Part No.	Duration
Cold Door Center, 3500K, 5' (1.5m)	701906-2-WW-60	24 Months
Cold Door Center, 3500K, 6' (1.8m)	701906-2-WW-66	24 Months
Cold Door Center, 4100K, 5' (1.5m)	701906-2-NW-60	24 Months
Cold Door Center, 4100K, 6' (1.8m)	701906-2-NW-66	24 Months
Cold Door Center, 4100K, 7' (2.1m)	701906-2-NW-75	24 Months
Cold Door Center, 5000K, 5' (1.5m)	701906-2-CW-60	24 Months
Cold Door Center, 5000K, 6' (1.8m)	701906-2-CW-66	24 Months
Cold Door End, 3500K, 5' (1.5m)	701906-2-END-WW-60	24 Months
Cold Door End, 3500K, 6' (1.8m)	701906-2-END-WW-66	24 Months
Cold Door End, 4100K, 5' (1.5m)	701906-2-END-NW-60	24 Months
Cold Door End, 4100K, 6' (1.8m)	701906-2-END-NW-66	24 Months
Cold Door End, 4100K, 7' (2.1m)	701906-2-END-NW-75	24 Months
Cold Door End, 5000K, 5' (1.5m)	701906-2-END-CW-60	24 Months
Cold Door End, 5000K, 6' (1.8m)	701906-2-END-CW-66	24 Months
Cold Door 2 Center, 3500K, 4' (1.2m)	701906-3WC4X2	24 Months
Cold Door 2 Center, 3500K, 5' (1.5m)	701906-3WC5X2	24 Months
Cold Door 2 Center, 3500K, 6' (1.8m)	701906-3WC6X2	24 Months
Cold Door 2 Center, 4000K, 4' (1.2m)	701906-4WC4X2	24 Months
Cold Door 2 Center, 4000K, 5' (1.5m)	701906-4WC5X2	24 Months
Cold Door 2 Center, 4000K, 6' (1.8m)	701906-4WC6X2	24 Months
Cold Door 2 Center, 4000K, 7' (2.1m)	701906-4WC7X2	24 Months
Cold Door 2 Center, 5000K, 4' (1.2m)	701906-5WC4X2	24 Months
Cold Door 2 Center, 5000K, 5' (1.5m)	701906-5WC5X2	24 Months
Cold Door 2 Center, 5000K, 6' (1.8m)	701906-5WC6X2	24 Months
Cold Door 2 End, 3500K, 4' (1.2m)	701906-3WE4X2	24 Months
Cold Door 2 End, 3500K, 5' (1.5m)	701906-3WE5X2	24 Months
Cold Door 2 End, 3500K, 6' (1.8m)	701906-3WE6X2	24 Months
Cold Door 2 End, 4000K, 4' (1.2m)	701906-4WE4X2	24 Months
Cold Door 2 End, 4000K, 5' (1.5m)	701906-4WE5X2	24 Months
Cold Door 2 End, 4000K, 6' (1.8m)	701906-4WE6X2	24 Months
Cold Door 2 End, 4000K, 7' (2.1m)	701906-4WE7X2	24 Months
Cold Door 2 End, 5000K, 4' (1.2m)	701906-5WE4X2	24 Months
Cold Door 2 End, 5000K, 5' (1.5m)	701906-5WE5X2	24 Months
Cold Door 2 End, 5000K, 6' (1.8m)	701906-5WE6X2	24 Months
Cold Door 3 Center, ECO, 4000K, 5' (1.5m)	701906-4WC5V3	24 Months
Cold Door 3 Center, ECO, 5000K, 5' (1.5m)	701906-5WC5V3	24 Months
Cold Door 3 Center, ECO, 4000K, 6' (1.8m)	701906-4WC6V3	24 Months
Cold Door 3 Center, ECO, 5000K, 6' (1.8m)	701906-5WC6V3	24 Months
Cold Door 3 Center, ECO, 4000K, 7' (2.1m)	701906-4WC7V3	24 Months
Cold Door 3 Center, ECO, 5000K, 7' (2.1m)	701906-5WC7V3	24 Months
Cold Door 3 End ECO, 4000K, 5' (1.5m)	701906-4WE5V3	24 Months
Cold Door 3 End, ECO, 5000K, 5' (1.5m)	701906-5WE5V3	24 Months
Cold Door 3 End, ECO, 4000K, 6' (1.8m)	701906-4WE6V3	24 Months
Cold Door 3 End ECO, 5000K, 6' (1.8m)	701906-5WE6V3	24 Months
Cold Door 3 End, ECO, 4000K, 7' (2.1m)	701906-4WE7V3	24 Months
Cold Door 3 End, ECO, 5000K, 7' (2.1m)	701906-5WE7V3	24 Months
Cold Door 3 Center, Performance, 4000K, 4' (1.2m)	701906-4WC4X3	24 Months
Cold Door 3 Center, Performance, 5000K, 4' (1.2m)	701906-5WC4X3	24 Months
Cold Door 3 Center, Performance, 4000K, 5' (1.5m)	701906-4WC5X3	24 Months
Cold Door 3 Center, Performance, 5000K, 5' (1.5m)	701906-5WC5X3	24 Months
Cold Door 3 Center, Performance, 4000K, 6' (1.8m)	701906-4WC6X3	24 Months
Cold Door 3 Center, Performance, 5000K, 6' (1.8m)	701906-5WC6X3	24 Months
Cold Door 3 Center, Performance, 4000K, 7' (2.1m)	701906-4WC7X3	24 Months
Cold Door 3 Center, Performance, 5000K, 7' (2.1m)	701906-5WC7X3	24 Months
Cold Door 3 End Performance, 4000K, 4' (1.2m)	701906-4WE4X3	24 Months

Cold Door (cont.)

Product Description	Part No.	Duration
Cold Door 3 End, Performance, 5000K, 4' (1.2m)	701906-5WE4X3	24 Months
Cold Door 3 End Performance, 4000K, 5' (1.5m)	701906-4WE5X3	24 Months
Cold Door 3 End, Performance, 5000K, 5' (1.5m)	701906-5WE5X3	24 Months
Cold Door 3 End, Performance, 4000K, 6' (1.8m)	701906-4WE6X3	24 Months
Cold Door 3 End Performance, 5000K, 6' (1.8m)	701906-5WE6X3	24 Months
Cold Door 3 End, Performance, 4000K, 7' (2.1m)	701906-4WE7X3	24 Months
Cold Door 3 End, Performance, 5000K, 7' (2.1m)	701906-5WE7X3	24 Months
Invisibility Light Guard, 2-pack, 4' (1.2m)	402074-46-2	24 Months
Invisibility Light Guard, 2-pack, 5' (1.5m)	402074-56-2	24 Months
Invisibility Light Guard, 2-pack, 6' (1.8m)	402074-66-2	24 Months
Invisibility Light Guard, 2-pack, 7' (2.1m)	402074-71-2	24 Months
Invisibility Light Guard, 12-pack, 4' (1.2m)	402074-46-12	24 Months
Invisibility Light Guard, 12-pack, 5' (1.5m)	402074-56-12	24 Months
Invisibility Light Guard, 12-pack, 6' (1.8m)	402074-66-12	24 Months
Invisibility Light Guard, 12-pack, 7' (2.1m)	402074-71-12	24 Months
End Concentrator, 2-pack, 7' (2.1m)	402074-71-EC-2	24 Months
End Concentrator, 12-pack, 4' (1.2m)	402074-46-EC-12	24 Months
End Concentrator, 12-pack, 5' (1.5m)	402074-56-EC-12	24 Months
End Concentrator, 12-pack, 6' (1.8m)	402074-66-EC-12	24 Months
End Concentrator, 12-pack, 7' (2.1m)	402074-71-EC-12	24 Months
100 W, 24 VDC Power Supply	701895-24W	24 Months
100 W, 24 VDC Power Supply	701933	24 Months
100 W, 24 VDC Power Supply	401402	24 Months
Compact 24/40 W Power Supply	410175	24 Months
Snap-in Clip	401943	24 Months
Snap-in Clip, 24-pack	401943-24	24 Months
Power Controller	701929	24 Months
Clip, Center	400686	24 Months
Clip, End	400686-END	24 Months
Wire Cover, Center	400776	24 Months
Wire Cover, End	400776-END	24 Months
Universal Voltage Power Pack	401352	24 Months
Connector Cable, RJ45, 20' (61m)	401353	24 Months
Cold Door 4 ECO, 4' (1.2m)	701906-(XX)(Y)4V4	24 Months
Cold Door 4 ECO, 5' (1.5m)	701906-(XX)(Y)5V4	24 Months
Cold Door 4 ECO, 6' (1.8m)	701906-(XX)(Y)6V4	24 Months
Cold Door 4 ECO, 7' (2.1m)	701906-(XX)(Y)7V4	24 Months
Cold Door 4 Performance, 4' (1.2m)	701906-(XX)(Y)4X4	24 Months
Cold Door 4 Performance, 5' (1.5m)	701906-(XX)(Y)5X4	24 Months
Cold Door 4 Performance, 6' (1.8m)	701906-(XX)(Y)6X4	24 Months
Cold Door 4 Performance, 7' (2.1m)	701906-(XX)(Y)7X4	24 Months
Cold Door 4 French Door, 4' (1.2m)	701906-(XX)(Y)4F4	24 Months
Cold Door 4 French Door, 5' (1.5m)	701906-(XX)(Y)5F4	24 Months
Cold Door 4 French Door, 6' (1.8m)	701906-(XX)(Y)6F4	24 Months
Cold Door 4 French Door, 7' (2.1m)	701906-(XX)(Y)7F4	24 Months

Dimming

Product Description	Part No.	Duration
Dimming Controller	701890-PWR	24 Months
Motion Sensor	400661	24 Months
Motion Sensor (Wide Angle)	400964	24 Months

Refrigerated Display Lighting (cont.)

Cold Deck

Product Description	Part No.	Duration
Cold Deck Canopy, 2700K, 3' (900mm)	701940-2WC3X1	24 Months
Cold Deck Canopy, 2700K, 4' (1200mm)	701940-2WC4X1	24 Months
Cold Deck Canopy, 3500K, 3' (900mm)	701940-3WC3X1	24 Months
Cold Deck Canopy, 3500K, 4' (1200mm)	701940-3WC4X1	24 Months
Cold Deck Canopy, 4000K, 3' (900mm)	701940-4WC3X1	24 Months
Cold Deck Canopy, 4000K, 4' (1200mm)	701940-4WC4X1	24 Months
Cold Deck Shelf, 2700K, 3' (900mm)	701940-2WS3X1	24 Months
Cold Deck Shelf, 2700K, 4' (1200mm)	701940-2WS4X1	24 Months
Cold Deck Shelf, 3500K, 3' (900mm)	701940-3WS3X1	24 Months
Cold Deck Shelf, 3500K, 4' (1200mm)	701940-3WS4X1	24 Months
Cold Deck Shelf, 4000K, 3' (900mm)	701940-4WS3X1	24 Months
Cold Deck Shelf, 4000K, 4' (1200mm)	701940-4WS4X1	24 Months
100 W, 24 VDC Power Supply	701895-24C	24 Months
Stand-off Clip	401091	24 Months
Terminal Block, Small	401350	24 Months
Terminal Block, Large	401351	24 Months

Cold Deck FIT

Product Description	Part No.	Duration
Cold Deck FIT Canopy, Prime, 4' (1.2 m)	701940-MWC4F1	24 Months
Cold Deck FIT Canopy, 2700K, 1' (0.3 m)	701940-2WC1F1	24 Months
Cold Deck FIT Canopy, 2700K, 3' (0.9 m)	701940-2WC3F1	24 Months
Cold Deck FIT Canopy, 2700K, 4' (1.2 m)	701940-2WC4F1	24 Months
Cold Deck FIT Canopy, 3500K, 1' (0.3 m)	701940-3WC1F1	24 Months
Cold Deck FIT Canopy, 3500K, 3' (0.9 m)	701940-3WC3F1	24 Months
Cold Deck FIT Canopy, 3500K, 4' (1.2 m)	701940-3WC4F1	24 Months
Cold Deck FIT Canopy, 4000K, 1' (0.3 m)	701940-4WC1F1	24 Months
Cold Deck FIT Canopy, 4000K, 3' (0.9 m)	701940-4WC3F1	24 Months
Cold Deck FIT Canopy, 4000K, 4' (1.2 m)	701940-4WC4F1	24 Months
Cold Deck FIT Shelf, Prime, 4' (1.2 m)	701940-MWS4F1	24 Months
Cold Deck FIT Shelf, 2700K, 1' (0.3 m)	701940-2WS1F1	24 Months
Cold Deck FIT Shelf, 2700K, 3' (0.9 m)	701940-2WS3F1	24 Months
Cold Deck FIT Shelf, 2700K, 4' (1.2 m)	701940-2WS4F1	24 Months
Cold Deck FIT Shelf, 3500K, 1' (0.3 m)	701940-3WS1F1	24 Months
Cold Deck FIT Shelf, 3500K, 3' (0.9 m)	701940-3WS3F1	24 Months
Cold Deck FIT Shelf, 3500K, 4' (1.2 m)	701940-3WS4F1	24 Months
Cold Deck FIT Shelf, 4000K, 1' (0.3 m)	701940-4WS1F1	24 Months
Cold Deck FIT Shelf, 4000K, 3' (0.9 m)	701940-4WS3F1	24 Months
Cold Deck FIT Shelf, 4000K, 4' (1.2 m)	701940-4WS4F1	24 Months
100 W, 24 VDC Power Supply	701895-24C	24 Months
Compact 24/40 W Power Supply	410175	24 Months
Stand-off Clip	401091	24 Months
5 Clip Spanner Wrenches	401368-5	24 Months
Terminal Block, Small	401350	24 Months
Terminal Block, Large	401351	24 Months

Cold Deck FIT Dimming

Product Description	Part No.	Duration
Dimming Controller	701890-PWR	24 Months
Motion Sensor	400661	24 Months
Motion Sensor (Wide Angle)	400964	24 Months
Motion Sensor/High Voltage	401314	24 Months
Lens for 401314	401315	24 Months

Power Supplies

Power Supplies – 24 VDC

Product Description	Part No.	Duration
100L1, 100 W	701895-100L1	24 Months
100L1D, dimmable	701895-100L1D	24 Months

Customer service and technical support

SloanLED Headquarters

5725 Olivas Park Drive, Ventura, CA, USA
888.747.4LED (888.747.4533) • info@SloanLED.com

SloanLED.com

SloanLED Europe b.v.

Argonstraat 110, 2718 SN Zoetermeer, NL
+31 88 12 44 900 • europe@SloanLED.com

